

Drawing No	. Title	Rev	Scale @A3	Drawing No.	Title	Rev	Scale @A3
A000_Drawir	ng Register			SK-415	DB1 - Proposed Exterior Finishes	HV1	
AA-000	Drawing Register	HV1		SK-420	DB1 - Demolition East Lobby Plan & Int Elevations	HV1	1:50 @A3
				SK-421	DB1 - Proposed East Lobby Plan & Int Elevations	HV1	1:50 @A3
A100_Existin				SK-425	DB1 - Proposed East Lobby Plan & Int Perspectives - Sheet 1	HV1	1:50 @A3
AX-000	Site Context Plan	HV1	1 : 100 @A3	SK-426	DB1 - Proposed East Lobby Plan & Int Perspectives - Sheet 2	HV1	1:50 @A3
AX-001	Existing Site Plan - Sheet 1	HV1	1 : 200 @A3	SK-430	DB2 - Demolition Amenities Upgrade Plan	HV1	1:50 @A3
AX-002	Existing Site Plan - Sheet 2	HV1	1 : 200 @A3	SK-431	DB2 - Proposed Amenities Upgrade Plan	HV1	1 : 50 @A3
AX-005	Existing Site Photos Exterior	HV1	1 : 200 @A3	SK-432	DB2 - Proposed Amenities Upgrade Plan RCP	HV1	1 : 50 @A3
AX-100	Existing Ground Floor Plan	HV1	1 : 200 @A3	SK-435	DB3 - Existing/Proposed Amenties Section	HV1	1 : 100 @A3
AX-101	Existing First Floor Plan	HV1	1 : 200 @A3	SK-445	DB2 - Proposed Amenities Perspective - Sheet 1	HV1	1 : 50 @A3
				SK-452	DB2 - Demolition Vestry Int Elevations	HV1	1 : 50 @A3
AD100_Dem				SK-453	DB2 - Proposed Vestry Int Elevations	HV1	1 : 50 @A3
AD-100	Demolition Ground Floor Plan	HV1	1:200 @A3	SK-465	DB3 - Existing/ Proposed Section A-A	HV1	1 : 100 @A3
AD-101	Demolition First Floor Plan	HV1	1 : 200 @A3	SK-466	DB3 - Existing/ Proposed Auditorium Section B-B	HV1	1 : 100 @A3
0400 B	I DI			SK-470	DB3 - Auditorium Perspective - Sheet 1	HV1	1 : 50 @A3
S100_Propos		111/74	1 . 200 @ 4.2	SK-471	DB3 - Auditorium Perspective - Sheet 2	HV1	1 : 50 @A3
SK-001	Proposed Key Plan	HV1	1 : 200 @A3	SK-472	DB3 - Auditorium Perspective - Sheet 3	HV1	1 : 50 @A3
SK-100	Proposed Ground Floor Plan	HV1	1 : 200 @A3	SK-476	DB3 - Existing/Proposed Auditorium East Screen Plan	HV1	1 : 50 @A3
SK-101	Proposed First Floor Plan	HV1	1 : 200 @A3	SK-477	DB3 - Existing/Proposed Auditorium East Screen Elevation	HV1	1 : 50 @A3
S400 Propos	sed Internal Elevations			SK-478	DB3 - Auditorium Screen Perspective	HV1	1 : 50 @A3
SK-400	DB1 - Entry Upgrade Scope	HV1	1 : 100 @A3	SK-490	Proposed Interior Finishes	HV1	
SK-401	DB1 - Entry Upgrade Works Demolition Plan & Elevation	HV1	1 : 50 @A3	SK-750	Proposed Door Schedule	HV1	1 : 50 @A3
SK-402	DB1 - Entry Upgrade Proposed Plan & Elevation	HV1	1 : 100 @A3	SK-755	Proposed Window Schedule	HV1	1 : 50 @A3
SK-402 SK-403	DB1 - Entry Upgrade Demo & Proposed Elevation	HV1	1 : 100 @A3		•		•
SK-407	DB1 - Entry Upgrade Perspective - Sheet 1	HV1	1.100 66/10				
014-407	DD1 - Lift y Opgrade i erspective - Oricet i	1171					

HV1

HV1

HV1

1 : 50 @A3

SK-408

SK-410

DB1 - Entry Upgrade Perspective - Sheet 2

DB1 - Entry Upgrade Perspective - Sheet 3


DB1 - Entry Upgrade Proposed Sign



Heritage Victoria Application

St Michaels Uniting Church 122-136 Collins Street, Melbourne

Prepared for and under instruction of Uniting Church in Australia Property Services
Date 2024.12.19 Rev HV1



CONTEXT PLAN

- 1. St Michael's Uniting Church Subject Site
- 2. 120 Collins Street Garden Forecourt
- 3. St Michael's Administation Building
- 4. 120 Collins Street Tower
- 5. 120 Collins Street Lobby
- 6. 137 Collins Street
- 7. Grand Hyatt Melbourne, 123 Collins Street
- 8. 131 Collins Street
- 9. Scots Presbyterian Church, 77 Russell Street
- 10. 150 Collins Street

GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications REV DESCRIPTION Heritage Victoria Original Issue

2024.12.19

DATE

ISSUE PURPOSE ISSUED FOR HV APPLICATION


trethowan ARCHITECTURE INTERIORS HERITAGE 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au


St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE Site Context Plan









COLLINS STREET


VICTORIAN HERITAGE REGISTER (VHR) REGISTRATION PLAN (NOT TO SCALE)


Location: 122 - 136 Collins Street Melbourne, Melbourne City Municipality: Melbourne City Level of Significance: Registered Victorian Heritage Register (VHR) Number: H0004 Heritage Overlay Numbers: H0576


Extent of Registration:


1. All of the buildings marked B-1 on Diagram 600107A held by the


2. All the land marked L-1 on Diagram 600107A held by the Executive Director being all of the land described in Certificate of Title Volume 9070 Folio 152.
















101 AHD + 26328 REFER TO AX-100 FOR EXISTING GROUND FLOOR PLAN ×25.72 ST MICHAELS WALK TITLE BOUNDARY

Existing Floor Plans
Existing St Michaels Walk Key Plan
1:100 @ A1

GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building. REV DESCRIPTION

2024.12.19 Heritage Victoria Original Issue

DATE

ISSUE PURPOSE ISSUED FOR HV APPLICATION


trethowan ARCHITECTURE INTERIORS HERITAGE 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE

Existing Site Photos Exterior

1 : 200 @ A3 1 : 100 @ A1






or alterations to the building.

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

INTERIORS HERITAGE

DATE **2024.12.19**



or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works.
Builder / contractors to notify the Architect of discrepancies.
RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).
Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.
For dimensional setout of walls, columns etc, refer to Dimensional setout plans.
Do not scale drawings, use written dimensions only.
This drawing is to be read in conjunction with schedules and specifications.
This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.
Approval from Heritage Victoria is required before commencing any modifications

REV DESCRIPTION

HV1 Heritage Victoria Original Issue

DATE

2024.12.19

ISSUED FOR HV APPLICATION

trethowan

25 William Street, Cremorne
T 03 9421 5448 - trethowan.com.au

ARCHITECTURE
INTERIORS
HERITAGE

St Michaels Uniting Church
122-136 Collins Street, Melbourne

DRAWING TITLE

Existing First Floor Plan

1 : 200 @ A3 1 : 100 @ A1 AX-101



DATE 2024.12.19



25 William Street, Cremorne

T 03 9421 5448 - trethowan.com.au

INTERIORS HERITAGE

LEGEND - DEMOLITION WORKS

D1.02 DEMOLISH HANDRAILS

D1.03 REMOVE SERVICES TO EAST LOBBY. ALLOW TO RELOCATE SERVICES AS REQUIRED D1.04 REMOVE BRICKWORK TO INCREASE SIZE OF EXISTING OPENING THROUGH WALL

D1.05 REMOVE TILES OF LATER DATE TO EAST LOBBY. PREPARE SUBSTRATE FOR NEW TILES OVER. D1.06 REMOVE TIMBER DOOR AND STORE ONSITE. TIMBER DOOR FRAME & ARCHITRAVE TO REMAIN. CAREFULLY REMOV

D1.08 EXISTING TIMBER DOORS TO BE REMAIN. REMOVE LATER GLAZING AND INSERT NEW TIMBER CLADDING TO MATCH

D1.11 DEMOLISH PIPEWORK ALLOW TO PATCH AND MAKE GOOD D1.12 INSTALLATION OF LINTEL TO ENGINEERS DETAILS. REMOVE HARD PLASTER AS REQUIRED.

D2.01 DEMOLISH EXISTING TOILETS. REMOVE ALL FIXTURES, FITTINGS AND FINISHES. REMOVE MASONRY WALLS WHERE

D2.02 DEMOLISH SERVICES ROOM (EXC POWER SUPPLY). DISCONNECT SERVICES AS REQUIRED.

D2.03 REMOVE FLOOR COVERING TO CHOIR VESTRY

D2.05 REMOVE BRICKWORK TO ALLOW NEW OPENING. INSTALL NEW LINTEL OVER. D2.06 REMOVE LATER SKYLIGHT

D2.15 REMOVE DOOR FOR REUSE

D3.01 DEMOLISH TOP STEP OF STAGE TO ALLOW FOR NEW FLOOR STRUCTURE OVER D3.02 REMOVE EXISTING PEWS

D3.03 REMOVE EARLY TIMBER PEWS. STORE TO REUSE TIMBER ELEMENTS.

REMOVE AND STORE PEWS WHILE WORKS TAKE PLACE TO ALLOW UPGRADING OF FLOOR FINISH

D3.09 REMOVE FLOOR COVERING

D3.11 REMOVE FLOOR COVERING AND NOSING STRIPS TO UPPER AUDITORIUM (INC AISLE STEPS)

D3.12 REMOVE AND STORE ORGAN CONSOLE WHILE WORKS TAKE PLACE

D3.13 RETRACTABLE AV SCREEN TO BE REMOVED FROM INFRONT OF ORGAN.

D4.01 REMOVE FLOOR COVERING AND MAKE GOOD SUBSTRATE

D5.01 REMOVE ROOF TILES FOR COWEL - FINAL LOCATION TO BE CONFIRMED BY MECHANICAL ENG.

1 : 200 @ A3 1 : 100 @ A1

2024.12.19

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications

GENERAL NOTES

or alterations to the building.

LEGEND - DEMOLITION WORKS

D1.01 DEMOLISH RAMP, LANDING AND HANDRAILS

D1.02 DEMOLISH HANDRAILS

D1.03 REMOVE SERVICES TO EAST LOBBY. ALLOW TO RELOCATE SERVICES AS REQUIRED

D1.04 REMOVE BRICKWORK TO INCREASE SIZE OF EXISTING OPENING THROUGH WALL D1.05 REMOVE TILES OF LATER DATE TO EAST LOBBY. PREPARE SUBSTRATE FOR NEW TILES OVER.

D1.06 REMOVE TIMBER DOOR AND STORE ONSITE. TIMBER DOOR FRAME & ARCHITRAVE TO REMAIN. CAREFULLY REMOV D1.07 REMOVE BLUESTONE TILES TO THIS AREA TO ALLOW FOR PROPOSED UPGRADES

D1.08 EXISTING TIMBER DOORS TO BE REMAIN. REMOVE LATER GLAZING AND INSERT NEW TIMBER CLADDING TO MATCH D1.11 DEMOLISH PIPEWORK ALLOW TO PATCH AND MAKE GOOD

D1.12 INSTALLATION OF LINTEL TO ENGINEERS DETAILS. REMOVE HARD PLASTER AS REQUIRED.

D2.01 DEMOLISH EXISTING TOILETS. REMOVE ALL FIXTURES, FITTINGS AND FINISHES. REMOVE MASONRY WALLS WHERE D2.02 DEMOLISH SERVICES ROOM (EXC POWER SUPPLY). DISCONNECT SERVICES AS REQUIRED.

D2.03 REMOVE FLOOR COVERING TO CHOIR VESTRY

D2.05 REMOVE BRICKWORK TO ALLOW NEW OPENING. INSTALL NEW LINTEL OVER. D2.06 REMOVE LATER SKYLIGHT

D2.15 REMOVE DOOR FOR REUSE

D2.16 ALLOW TO DEMOLISH RAISED SLAB IN THIS AREA D3.01 DEMOLISH TOP STEP OF STAGE TO ALLOW FOR NEW FLOOR STRUCTURE OVER

D3.02 REMOVE EXISTING PEWS

D3.03 REMOVE EARLY TIMBER PEWS. STORE TO REUSE TIMBER ELEMENTS.

D3.04 REMOVE LATER PEWS AND STORE FOR LATER REINSTATEMENT

D3.05 REMOVE AND STORE PEWS WHILE WORKS TAKE PLACE TO ALLOW UPGRADING OF FLOOR FINISH

D3.08 DEMOLISH LATER HALF CIRCLE STAGE EXTRUSION D3.09 REMOVE FLOOR COVERING

D3.10 DEMOLISH LATER RAMPS

D3.11 REMOVE FLOOR COVERING AND NOSING STRIPS TO UPPER AUDITORIUM (INC AISLE STEPS)

D3.12 REMOVE AND STORE ORGAN CONSOLE WHILE WORKS TAKE PLACE

D3.13 RETRACTABLE AV SCREEN TO BE REMOVED FROM INFRONT OF ORGAN.

D4.01 REMOVE FLOOR COVERING AND MAKE GOOD SUBSTRATE

D5.01 REMOVE ROOF TILES FOR COWEL - FINAL LOCATION TO BE CONFIRMED BY MECHANICAL ENG.

D5.02 REMOVE LATER SKYLIGHT

or alterations to the building.

GENERAL NOTES Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications REV DESCRIPTION Heritage Victoria Original Issue

DATE

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE

Demolition First Floor Plan

1 : 200 @ A3 1 : 100 @ A1





Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

REV DESCRIPTION

Heritage Victoria Original Issue

DATE

2024.12.19

ISSUE PURPOSE

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

ISSUED FOR HV APPLICATION trethowan

INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE

Proposed Key Plan

1 : 200 @ A3 1 : 100 @ A1


KEY PLAN LEGEND:

DB1 - ENTRY UPGRADE (EXTERIOR RAMP, HANDRAILS, WINDOWS, BLUESTONE WORKS ETC.)

DB2 - TOILET UPGRADE (BATHROOM FACILITIES, LAYOUT CHANGE, TEAPOINT, SERVICES, VESTRY ETC.)

DB3 - AUDITORIUM UPGRADE (LEVEL CHANGES, LOBBY SCREEN, WHEELCHAIR ACCESS, SEATING, STAGE & ORGAN CONSOLE CHANGE, FINISHES ETC.)

DB4 - SOUTH ENTRY FINISHES (FLOOR LEVELING, FINISHES ECT.)





or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications REV DESCRIPTION Heritage Victoria Original Issue

2024.12.19

DATE

ISSUE PURPOSE



INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne


Proposed First Floor Plan


DRAWING TITLE


1 : 200 @ A3 1 : 100 @ A1











2 3D View
Proposed North East Entry Axo

GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works.
Builder / contractors to notify the Architect of discrepancies.
RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).
Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.
For dimensional setout of walls, columns etc, refer to Dimensional setout plans.
Do not scale drawings, use written dimensions only.
This drawing is to be read in conjunction with schedules and specifications.
This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.
Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

REV DESCRIPTION

HV1 Heritage Victoria Original Issue

ISSUED FOR HV APPLICATION

ISSUE PURPOSE

DATE



St Michaels Uniting Church
122-136 Collins Street, Melbourne


DB1 - Entry Upgrade Scope

SCALE

SK-400

2024.12.19

HV1



undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications

or alterations to the building.

DATE REV 2024.12.19 HV1


DB1 - Entry Upgrade Works

Demolition Plan & Elevation

ARCHITECTURE

INTERIORS HERITAGE

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au



25 William Street, Cremorne


T 03 9421 5448 - trethowan.com.au


INTERIORS HERITAGE

MT-01 METAL FINISH

or alterations to the building.

TO MATCH EXISTING






Proposed Building Elevation


Existing South Elevation Copy 1 Copy 1

1:50 @ A1



Proposed Building Elevation

DB1 Demolition North Elevation Copy 1
1:50 @ A1



GENERAL NOTES Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

EXTERNAL FINISHES:

ST-01 BLUESTONE PAVERS, TO MATCH EXISTING MT-02 METAL BLACK ANODISED

ST-02 BLUESTONE PAVERS, GL-01 GLASS CLEAR IN BLACK METAL FRAME FEATURE ST-03 BLUESTONE CLADDING GL-02 OPAQUE FILM TO EXG GLASS

ST-04 STONE INLAY

MT-01 METAL FINISH

PF- 01 PAINT FINISH -TO MATCH EXISTING DESCRIPTION

Heritage Victoria Original Issue

DATE


2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION




St Michaels Uniting Church St Michaels Uniting Church 1:100 @ A3 122-136 Collins Street, Melbourne As indicated @ A1

DRAWING TITLE DB1 - Entry Upgrade Demo & Proposed Elevation






EXISTING - COLLINS STREET APPROACH



EXISTING - SITE PHOTO



Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

EXTERNAL FINISHES:

ST-04 STONE INLAY

MT-01 METAL FINISH

ST-01 BLUESTONE PAVERS, TO MATCH EXISTING
ST-02 BLUESTONE PAVERS, FEATURE

ST-03 BLUESTONE CLADDING

MT-02 METAL BLACK ANODISED HANDRAIL GL-01 GLASS CLEAR IN BLACK METAL FRAME

PF- 01 PAINT FINISH -TO MATCH EXISTING

GL-02 OPAQUE FILM TO EXG GLASS

REV DESCRIPTION Heritage Victoria Original Issue DATE 2024.12.19 ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

ARCHITECTURE INTERIORS HERITAGE

St Michaels Uniting Church

122-136 Collins Street, Melbourne DRAWING TITLE

DB1 - Entry Upgrade Perspective - Sheet 1

SCALE 1 : 25 @ A1



EXISTING - ST MICHAELS WALK APPROACH



EXISTING - SITE PHOTO



Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building. DATE

2024.12.19




DRAWING TITLE

DB1 - Entry Upgrade Perspective - Sheet 2



EXISTING - VIEW FROM ADJACENT TITLE



EXISTING - SITE PHOTO



Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.


This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building. DATE

2024.12.19






CAMERA AND LIGHTING TO BE INSTALLED TO TOP OF MONOLITH SIGN.

SCOPE OF WORKS TO BE CONFIRMED BY SERVICES CONTRACTOR.











STONE INLAY

Proposed Building Elevation Proposed Sign North Elevation 1:25 @ A1

Proposed Building Elevation
Proposed Sign East Elevation
1:25 @ A1

REV DESCRIPTION

Heritage Victoria Original Issue

MONOLITH WITH ENTRANCE SIGN

DATE

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au INTERIORS HERITAGE

St Michaels Uniting Church St Michaels Uniting Church 1:50 @ A3 122-136 Collins Street, Melbourne As indicated @ A1


DB1 - Entry Upgrade Proposed Sign

DRAWING TITLE

2024.12.19

or alterations to the building.

P1 Proposed Floor Plans
SK-402 Proposed Sign Plan
1:10 @ A1





ST-01 BLUESTONE PAVING STRETCHER




ST-02 BLUESTONE TILES FEATURE



ST-03 BLUESTONE CLADDING (PATTERN TBC)



PT-01 EXISTING PAINT FINISH



GL-01 GLASS CLEAR IN BLACK METAL FRAME

MT-01 METAL BLACK



GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

EXTERNAL FINISHES:

ST-01 BLUESTONE PAVERS, TO MATCH EXISTING ST-02 BLUESTONE PAVERS,

FEATURE

GL-02 OPAQUE FILM TO EXG GLASS

ST-03 BLUESTONE CLADDING ST-04 STONE INLAY

MT-01 METAL FINISH

MT-02 METAL BLACK ANODISED

GL-01 GLASS CLEAR IN BLACK METAL FRAME

MT-02 ANODIZED METAL BLACK

PF- 01 PAINT FINISH -TO MATCH EXISTING

REV DESCRIPTION Heritage Victoria Original Issue

ISSUE PURPOSE ISSUED FOR HV APPLICATION

DATE

2024.12.19



St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE


DB1 - Proposed Exterior Finishes

1 : 25 @ A1


SCALE

P1 Demolition Floor Plan Proposed Ground Floor Plan - R.G-02 East Lobby Copy 2 1 : 25 @ A1


5 Demolition Ceiling Plan
AD-200 DB1 Demolition East Lobby Ceiling Plan
1:25 @ A1




Existing Building Elevation SK-421 R.G-02 East Lobby - Elevation 1 Copy 2 1 : 25 @ A1



3 Existing Building Elevation
SK-421 R.G-02 East Lobby - Elevation 3 Copy 2
1:25 @ A1



2 Existing Building Elevation SK-421 R.G-02 East Lobby - Elevation 2 Copy 2 1:25 @ A1



Existing Building Elevation

R.G-02 East Lobby - Elevation 4 Copy 2

1:25 @ A1

ISSUE PURPOSE DATE DESCRIPTION ISSUED FOR HV APPLICATION 2024.12.19 Heritage Victoria Original Issue

T 03 9421 5448 - trethowan.com.au

trethowan ARCHITECTURE 25 William Street, Cremorne INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE DB1 - Demolition East Lobby Plan &

Int Elevations

1 : 50 @ A3 1 : 25 @ A1


or alterations to the building.

GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications

P1 Proposed Floor Plans

Proposed Ground Floor Plan - R.G-02 East Lobby 1:25 @ A1




5 Proposed Ceiling Plan
AD-200 DB1 Proposed East Lobby Ceiling Plan

Existing Side Entry FCL PF-05 PATCH HARD PLASTER FOLLOWING LINTEL INSTALLATION Proposed Amenities FCL _____ AHD+29.341 MT-05 NEW GLAZED AUTOMATIC DOOR. EXISTING TIMBER DOOR FRAME AND ARCHITRAVE TO REMAIN. NEW ARCHED OPENING THROUGH MASONRY WALL. NEW METAL SURROUND. Existing Side Entry FFL

Proposed Internal Elevations SK-421 R.G-02 East Lobby - Elevation 1 1:25 @ A1

AHD+26.341



Proposed Internal Elevations SK-421 R.G-02 East Lobby - Elevation 3 1:25 @ A1

ISSUE PURPOSE DATE DESCRIPTION

25 William Street, Cremorne

T 03 9421 5448 - trethowan.com.au

EXISTING EXIT SIGN.
SCOPE OF WORK TO TBC

EXISTING LEADLIGHT FANLIGHT TO REMAIN. PROVIDE

PROTECTION WHILE WORKS TAKE

NEW ARCHED OPENING THROUGH

MASONRY WALL. NEW METAL

SECURITY & LIGHTING CONTROL.

PF-05

Proposed Internal Elevations

R.G-02 East Lobby - Elevation 2

1:25 @ A1

TBC BY SERVICES ENGINEER.

NEW BIRRUS MAT-

SURROUND.

SERVICES ENGINEER

ISSUED FOR HV APPLICATION

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DB1 - Proposed East Lobby Plan &

DG-02.3A D01

1 : 50 @ A3 1 : 25 @ A1

Existing Side Entry FFL —

AHD+26.341

Existing Side Entry FCL _

EXISTING TIMBER DOORS TO BE REMAIN. REMOVE LATER GLAZING AND INSERT NEW TIMBER CLADDING TO

MATCH ORIGINAL DESIGN. UPGRADE DOOR HARDWARE AND ACCESS

CONTROLS AS REQUIRED.

Existing Side Entry FFL

Existing Side Entry FCL

ALLOW FOR ALLOW FOR
PENETRATION AND INSTALLATION OF AUTOMATIC DOOR DETECTOR

NEW ARCHED OPENING THROUGH

MASONRY WALL. NEW METAL

SURROUND.

MT-05

AHD+30.616

AHD+26.341

PF-05

PF-06

AHD+30.616

2024.12.19

GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

INTERNAL FINISHES:

TL-03 FEATURE TILE

PB-01 PLASTERBOARD

PF- 05 PAINT FINISH #5

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

PF- 06 PAINT FINISH #6 PF- 07 PAINT FINISH #7

PF- 08 PAINT FINISH #8 (LAM-01) LAMINATE OR VENEER JOINERY

TM-01 TIMBER VENEER WALL PANELS

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS

TF-01 POLISHED TIMBER STRIP GL-01) CLEAR GLAZING

(MAT-01) ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH

> CP-01 CARPET FINISH UP-01 CHAIR UPHOLSTERY

Heritage Victoria Original Issue 2024.12.19

DRAWING TITLE ARCHITECTURE Int Elevations INTERIORS HERITAGE

EXISTING ARCHITRAVE AND DOOR — TO REMAIN. PREP AND PAINT.

GL-05

NEW GLAZED AUTOMATIC DOOR.

ARCHITRAVE TO REMAIN.

EXISTING TIMBER DOOR FRAME AND



Proposed Internal Elevations

R.G-02 East Lobby - Elevation 4


1:25 @ A1

EXISTING DOOR TO REMAIN -


EXISTING SKIRT TO REMAIN




01. EXISTING - EAST LOBBY



EXISTING - SITE PHOTO



Proposed Floor Plans
Proposed East Lobby Key Plan
1:50 @ A1



01. PROPOSED - EAST LOBBY

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building. REV DESCRIPTION HV1 Heritage Victoria Original Issue

DATE

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan ARCHITECTURE INTERIORS HERITAGE 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

St Michaels Uniting Church 122-136 Collins Street, Melbourne


DRAWING TITLE DB1 - Proposed East Lobby Plan & Int Perspectives - Sheet 1

1 : 50 @ A3 1 : 50 @ A1






02. EXISTING - EAST LOBBY



EXISTING - SITE PHOTO - EAST LOBBY LOOKING SOUTH





02. PROPOSED - EAST LOBBY

1 Proposed Floor Plans
Proposed East Lobby Key Plan Copy
1:50 @ A1

GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works.
Builder / contractors to notify the Architect of discrepancies.
RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).
Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.
For dimensional setout of walls, columns etc, refer to Dimensional setout plans.
Do not scale drawings, use written dimensions only.
This drawing is to be read in conjunction with schedules and specifications.
This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.
Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

REV DESCRIPTION

HV1 Heritage Victoria Original Issue

DATE

2024.12.19

ISSUED FOR HV APPLICATION



St Michaels Uniting Church 122-136 Collins Street, Melbourne


DRAWING TITLE

DB1 - Proposed East Lobby Plan & Int Perspectives - Sheet 2

1 : 50 @ A3 1 : 50 @ A1 SK-426

DATE 2024.12.19

HV1



P1 Demolition Floor Plan
B2 Toilet Upgrade Copy 1
1:25 @ A1

GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).

Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications

REV DESCRIPTION

HV1 Heritage Victoria Original Issue

DATE

2024.12.19

ISSUED FOR HV APPLICATION

trethowan

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au ARCHITECTURE

INTERIORS HERITAGE St Michaels Uniting Church
122-136 Collins Street, Melbourne

DB2 - Demolition Amenities Upgrade
Plan

1 : 50 @ A3 1 : 25 @ A1

SK-430



2024.12.19 **HV**

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

INTERNAL FINISHES:

TL-03 FEATURE TILE

PB-01 PLASTERBOARD

PF- 05 PAINT FINISH #5

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

PF- 07 PAINT FINISH #7

PF- 08 PAINT FINISH #8 (LAM-01) LAMINATE OR VENEER JOINERY TM-01 TIMBER VENEER WALL PANELS

PF- 06 PAINT FINISH #6

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS

TF-01 POLISHED TIMBER STRIP FLOORING GL-01 CLEAR GLAZING

(MAT-01) ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH

CP-01 CARPET FINISH (UP-01) CHAIR UPHOLSTERY REV DESCRIPTION Heritage Victoria Original Issue

DATE 2024.12.19

trethowan

INTERIORS HERITAGE

ISSUE PURPOSE ISSUED FOR HV APPLICATION

25 William Street, Cremorne

T 03 9421 5448 - trethowan.com.au


St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE DB2 - Proposed Amenities Upgrade Plan

1 : 50 @ A3 1 : 25 @ A1







GENERAL NOTES Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

INTERNAL FINISHES:

TL-03 FEATURE TILE

PB- 01 PLASTERBOARD

PF- 05 PAINT FINISH #5

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

PF- 06 PAINT FINISH #6

PF- 07 PAINT FINISH #7 PF- 08 PAINT FINISH #8 (LAM-01) LAMINATE OR VENEER JOINERY

TM-01 TIMBER VENEER WALL PANELS

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS TF-01 POLISHED TIMBER STRIP FLOORING

GL- 01 CLEAR GLAZING

MT-01 METAL POWDERCOATED FINISH CP-01 CARPET FINISH

(MAT-01) ENTRANCE MAT (BIRRUS OR SIMILAR)

UP- 01 CHAIR UPHOLSTERY

REV DESCRIPTION Heritage Victoria Original Issue

2024.12.19

DATE

ISSUE PURPOSE ISSUED FOR HV APPLICATION trethowan

INTERIORS HERITAGE


25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au


St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE

DB2 - Proposed Amenities Upgrade Plan RCP


1 : 50 @ A3 1 : 25 @ A1








2 Existing Building Section
Demolition Section H-H
1:50 @ A1





GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications

REV DESCRIPTION

Heritage Victoria Original Issue

2024.12.19

ISSUE PURPOSE

25 William Street, Cremorne

T 03 9421 5448 - trethowan.com.au

ISSUED FOR HV APPLICATION trethowan

PROJECT

Section

St Michaels Uniting Church 122-136 Collins Street, Melbourne DRAWING TITLE

DB3 - Existing/Proposed Amenties


SCALE 1 : 100 @ A3 1 : 50 @ A1

2024.12.19

DATE



01. PROPOSED - AMENITIES TEAPOINT



1 Proposed Floor Plans B2 Toilet Upgrade - Key Plan 1 : 100 @ A1 02. PROPOSED - AMENITIES HALLWAY

DATE

2024.12.19

REV DESCRIPTION HV1 Heritage Victoria Original Issue

ISSUE PURPOSE ISSUED FOR HV APPLICATION

ARCHITECTURE INTERIORS HERITAGE 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE DB2 - Proposed Amenities Perspective - Sheet 1 1 : 50 @ A3 1 : 100 @ A1

2024.12.19


Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.


This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.



P1 Demolition Floor Plan Proposed Ground Floor Plan - R.G-12 Vestry



Existing Side Entry FFL


Proposed Internal Elevations

R.G-12 Vestry - Elevation 1

1: 25 @ A1

Proposed Internal Elevations

SK-452
R.G-12 Vestry - Elevation 2
1:25 @ A1



GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications REV DESCRIPTION

Heritage Victoria Original Issue

DATE

ISSUE PURPOSE ISSUED FOR HV APPLICATION 2024.12.19

ARCHITECTURE

St Michaels Uniting Church 122-136 Collins Street, Melbourne


DRAWING TITLE DB2 - Demolition Vestry Int Elevations

1 : 50 @ A3 1 : 25 @ A1


2024.12.19


25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

INTERIORS HERITAGE



P1 Proposed Floor Plans
Proposed Ground Floor Plan - R.G-12 Vestry Copy 1
1: 25 @ A1





GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications

INTERNAL FINISHES:

TL-01 WALL/FLOOR TILE

PF- 06 PAINT FINISH #6 PF- 07 PAINT FINISH #7 TL-02 WALL/FLOOR TILE TL-03 FEATURE TILE PF- 08 PAINT FINISH #8

PB- 01 PLASTERBOARD (LAM-01) LAMINATE OR VENEER JOINERY PF- 05 PAINT FINISH #5 TM-01 TIMBER VENEER WALL PANELS

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS

TF-01 POLISHED TIMBER STRIP

FLOORING

GL- 01 CLEAR GLAZING

(MAT-01) ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH

CP-01 CARPET FINISH

UP-01 CHAIR UPHOLSTERY

REV DESCRIPTION

Heritage Victoria Original Issue

DATE

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

ARCHITECTURE


INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE DB2 - Proposed Vestry Int Elevations

1 : 50 @ A3 1 : 25 @ A1





REV

DESCRIPTION

Heritage Victoria Original Issue

DATE

2024.12.19

ISSUED FOR HV APPLICATION

trethowan

25 William Street, Cremorne

T 03 9421 5448 - trethowan.com.au

ARCHITECTURE

INTERIORS HERITAGE

St Michaels Uniting Church

DRAWING TITLE

Section B-B

122-136 Collins Street, Melbourne

DB3 - Existing/ Proposed Auditorium

1 : 100 @ A3 1 : 50 @ A1

2024.12.19

GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).

This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works

undertaken must comply with relevant heritage regulations and guidelines.


Approval from Heritage Victoria is required before commencing any modifications

Builder / contractors to notify the Architect of discrepancies.

Do not scale drawings, use written dimensions only.



EXISTING - AUDITORIUM VIEW FROM STAGE



EXISTING - SITE PHOTO



or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Por dimensional setout of wails, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building. DATE


DB3 - Auditorium Perspective -Sheet 1

SCALE






EXISTING - AUDITORIUM VIEW FROM BALCONY



EXISTING - SITE PHOTO



PROPOSED - AUDITORIUM VIEW FROM BALCONY

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au

DATE


2024.12.19



St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE DB3 - Auditorium Perspective - Sheet 2

SCALE







EXISTING - AUDITORIUM VIEW AISLE



EXISTING - SITE PHOTO



NOTE: SCREENS AND WALKWAYS TO BE PROVIDED TO BOTH SIDES OF AUDITORIUM FOR SYMMETRY AND TO ALLOW FOR ACCESS FOR ALL TO THE MINGARY.

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications DATE

2024.12.19



St Michaels Uniting Church 122-136 Collins Street, Melbourne


DRAWING TITLE

DB3 - Auditorium Perspective -Sheet 3


SCALE












EXISTING AUDITORIUM - LOOKING NORTH-EAST



GENERAL NOTES Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

INTERNAL FINISHES:

PB- 01 PLASTERBOARD

PF- 05 PAINT FINISH #5

NOTE: SCREENS AND WALKWAYS TO BE PROVIDED TO BOTH SIDES OF AUDITORIUM FOR SYMMETRY AND TO ALLOW FOR

ACCESS FOR ALL TO THE MINGARY.

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

PF- 06 PAINT FINISH #6 PF- 07 PAINT FINISH #7 TL-03 FEATURE TILE PF- 08 PAINT FINISH #8

(LAM-01) LAMINATE OR VENEER JOINERY TM-01 TIMBER VENEER WALL PANELS

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS TF-01 POLISHED TIMBER STRIP FLOORING

GL- 01 CLEAR GLAZING

CP-01 CARPET FINISH

MAT-01 ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH

UP- 01 CHAIR UPHOLSTERY

Heritage Victoria Original Issue

REV DESCRIPTION

DATE

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan ARCHITECTURE 25 William Street, Cremorne T 03 9421 5448 - trethowan.com.au INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE

DB3 - Existing/Proposed Auditorium East Screen Plan


1 : 50 @ A3 1 : 25 @ A1

DATE 2024.12.19




Proposed Internal Elevations

SK-476 East Entry Screen Elevation 1
1: 25 @ A1




Proposed Internal Elevations SK-476 East Entry Screen Elevation 3 1:25 @ A1

NOTE: SCREENS AND WALKWAYS TO BE PROVIDED TO BOTH SIDES OF AUDITORIUM FOR SYMMETRY AND TO ALLOW FOR ACCESS FOR ALL TO THE MINGARY.



Proposed Internal Elevations

SK-421 East Entry Screen Elevation 2
1:25 @ A1



Proposed Internal Elevations

East Entry Screen Elevation 4
1:25 @ A1

GENERAL NOTES

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).

Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications. This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines. Approval from Heritage Victoria is required before commencing any modifications

INTERNAL FINISHES:

PF- 05 PAINT FINISH #5

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

TL-03 FEATURE TILE PB- 01 PLASTERBOARD

PF- 07 PAINT FINISH #7 PF- 08 PAINT FINISH #8 (LAM-01) LAMINATE OR VENEER JOINERY

PF- 06 PAINT FINISH #6

TM-01 TIMBER VENEER WALL PANELS

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS TF-01 POLISHED TIMBER STRIP FLOORING

GL- 01 CLEAR GLAZING

(MAT-01) ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH

CP-01 CARPET FINISH

UP-01 CHAIR UPHOLSTERY

DESCRIPTION Heritage Victoria Original Issue DATE 2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION

T 03 9421 5448 - trethowan.com.au

ARCHITECTURE 25 William Street, Cremorne INTERIORS HERITAGE

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE

DB3 - Existing/Proposed Auditorium East Screen Elevation


1 : 50 @ A3 1 : 25 @ A1

EXISTING LEADLIGHT PANELS (RELOCATED FROM ENTRY DOORS) TO BE INTEGRATED

INTO SCREEN



PROPOSED - EAST LOBBY ENTRY FROM AUDITORIUM




EXISTING - AUDITORIUM VIEW FROM EAST LOBBY



EXISTING - SITE PHOTO



PROPOSED - SCREEN VIEW FROM AUDITORIUM




PROPOSED MATERIALS / MOODBOARD (FINAL DESIGN TO BE CONFIRMED)





DATE

2024.12.19





GENERAL NOTES

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications or alterations to the building.

NOTE: SCREENS AND WALKWAYS TO BE PROVIDED TO BOTH SIDES OF AUDITORIUM FOR SYMMETRY AND TO ALLOW FOR ACCESS FOR ALL TO THE MINGARY.

REV DESCRIPTION

Heritage Victoria Original Issue

ISSUE PURPOSE ISSUED FOR HV APPLICATION

trethowan 25 William Street, Cremorne INTERIORS HERITAGE T 03 9421 5448 - trethowan.com.au

St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE

DB3 - Auditorium Screen Perspective




2024.12.19

SK-478




TL-01 TILE WALL/FLOOR






PF-06 PAINT FINISH #2




TM-03 TIMBER HANDRAIL FROM EXG PEWS



MT-01 METAL BLACK




MAT-01 BIRRUS MAT OR SIMILAR





UP-01 CHAIR UPHOLSTERY (INDICATIVE SAMPLE)



PF-05 PAINT FINISH #1





or alterations to the building.

GENERAL NOTES Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications INTERNAL FINISHES:

TL-03 FEATURE TILE

PB- 01 PLASTERBOARD

PF- 05 PAINT FINISH #5

TL-01 WALL/FLOOR TILE TL-02 WALL/FLOOR TILE

PF- 08 PAINT FINISH #8 (LAM-01) LAMINATE OR VENEER JOINERY TM-01 TIMBER VENEER WALL PANELS

PF- 06 PAINT FINISH #6 PF- 07 PAINT FINISH #7

TM-02 TIMBER (REUSE PEWS) TM-03 TIMBER HANDRAILS FROM EXISTING PEWS

TF-01 POLISHED TIMBER STRIP FLOORING GL-01 CLEAR GLAZING UP-01 CHAIR UPHOLSTERY

MAT-01 ENTRANCE MAT (BIRRUS OR SIMILAR) MT-01 METAL POWDERCOATED FINISH CP- 01 CARPET FINISH

REV DESCRIPTION Heritage Victoria Original Issue

2024.12.19

ISSUE PURPOSE ISSUED FOR HV APPLICATION trethowan


St Michaels Uniting Church DRAWING TITLE

122-136 Collins Street, Melbourne

Proposed Interior Finishes

SCALE 1 : 25 @ A1


DATE















DOOR TYPE	EX1 - EAST LOBBY ENTRANCE DOORS	EX2 - VESTRY DOOR	EX3 - EXTERIOR DOORS	EX4 - INTERIOR DOUBLE DOORS W/ LEADLIGHTS
DOOR NO.	DG-02.1	DG-12.1 (2100H X 870W)	DG-14.1 (2050H X 1020W) DG-15.1 (2050H X 860W) DG-16.1 (1920H X 820W)	DG-2.03 (2160H X 1136W) DG-08.3 (2100H X 1200W)
DOOR SIZE	REF ABOVE & DETAILED DRAWINGS - COS DIMS	EXISTING 2050H X 725W	REF ABOVE	REF ABOVE
DESCRIPTION	EXISTING EXTERIOR TIMBER PANELLED DOUBLE DOORS WITH ARCHED HIGHLIGHT WINDOWS	HERITAGE STYLE DOOR SIMILAR TO EXISTING	EXISTING TIMBER PANELLED DOOR	INTERIOR DOUBLE DOORS W/ LEADLIGHTS
FACE MAT. FINIS	SH TIMBER	TIMBER. PAINTED	TIMBER. PAINTED	TIMBER
FRAME MAT. FINIS	SH TIMBER	TIMBER. PAINTED	TIMBER. PAINTED	TIMBER. PAINTED
ARCHITRAVE MAT. FINIS	SH EXISTING	-	-	TIMBER. PAINTED
HANDLE	D TYPE LEVER HANDLES INSTALLED AT 950 AFFL TO CENTRE AND A CLEARANCE OF 35-45 MM TO DOOR FACE.	HANDLES INSTALLED AT 1000 FFL TO CENTRE AND 35-45MM TO DOOR FACE	ELECTRICAL AUTHORITY LOCK TO BE INSTALLED TO DG-16.1	-
ACCESSORIES	ALLOW TO INSTALL NEW HARDWARE FOR DIGITAL ACCESS CONTROL	-	-	-
GLAZING	-	NONE	NONE	LEADLIGHT GLASS
HINGES	-	CONCEALED HINGES	CONCEALED HINGES	AS PER MANUFACTURER SPECIFICATIONS
NOTES:	REMOVE GLASS PANEL AND REPLACE WITH TIMBER TO MATCH	-	DG-14.1 & DG-15.1. DOORS TO BE BLOCKED FROM THE INSIDE.	REMOVE TIMBERS DOORS AND STORE ONSITE. TIMBER DOOR FRAME & ARCHITRAVE TO REMAIN. CAREFULLY REMOVE LEADLIGHT GLASS (ALLOW TO SAFELY AND SECURELY STORE AND LABEL) FOR REUSE ON SITE



DOOR TYPE	D01 - AUTOMATED SLIDING DOOR	D02 - SINGLE FLUSH HINGED DOOR
DOOR NO.	DG-02.3A (2310H X 1428W) DG-08.3A (2310H X 1495W)	DG-21.1, DG-22.1, DG-24.1, DG-25.1 (2100H X 800W) DG-23.1 (2100H X 900W)
DOOR SIZE	REF ABOVE	REF ABOVE
DESCRIPTION	INTERIOR GLAZED DOOR SLIDING DOOR	TIMBER SOLID-CORE DOOR
FACE MAT. FINISH	CLEAR GLAZING	TIMBER
FRAME MAT. FINISH	-	TIMBER
ARCHITRAVE MAT. FINISH	-	NONE
HANDLE	-	INDICATOR SNIBS INSTALLED AT 1000 FFL TO CENTRE AND 35-45MM TO DOOR FACE
ACCESSORIES	SLIDING TRACK	PROVIDE WC SIGNAGE FOR WAYFINDING & ACCESSIBILITY TO DG-23.1
GLAZING	AS PER MANUFACTURER SPECIFICATIONS	-
HINGES	AS PER MANUFACTURER SPECIFICATIONS	-
NOTES:		NOTE VARYING DOOR SWING DIRECTIONS AS PER ARCHITECTURAL PLANS

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works. Builder / contractors to notify the Architect of discrepancies. RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD). Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically. For dimensional setout of walls, columns etc, refer to Dimensional setout plans. Do not scale drawings, use written dimensions only. This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications REV DESCRIPTION

Heritage Victoria Original Issue


DATE 2024.12.19


ISSUE PURPOSE ISSUED FOR HV APPLICATION



St Michaels Uniting Church 122-136 Collins Street, Melbourne

DRAWING TITLE Proposed Door Schedule 1 : 50 @ A3 1 : 25 @ A1









 PROPOSED WINDOWS TO ENCLOSE SPACE



EAST CLOISER - INTERNAL ELEVATION







WINDOW TYPE	EX1 - TIMBER ARCHED WINDOWS	EX2 - CHOIR VESTRY WINDOW	W01 - CLOISER WINDOWS	
WINDOW NO.	WG-17.1 (AS PICTURED ABOVE) WG-12.1, WG-12.2, WG-14.1, WG-15.1	WG-12.1, WG-12.2 (1200H X 775W)	WG-03.1 (2370H X 6070W) WG-07.1 (2370H X 6070W)	
WINDOW SIZE	cos	AS ABOVE	AS ABOVE	
DESCRIPTION	ARCHED DOUBLE HUNG WINDOW	ARCHED STEEL FRAME WINDOW	EAST AND WEST FACADE CLOISER WINDOWS	
FACE MAT. FINISH	GLASS, SEE BELOW	GLASS, SEE BELOW	GLASS, SEE BELOW	
FRAME MAT. FINISH	TIMBER PAINTED PT-01 TO MATCH EXISTING	METAL PAINTED PT-01 TO MATCH EXISTING	NEW STEEL FRAME	
ARCHITRAVE MAT. FINISH	PATCH/ REPAIR WHERE NECESSARY AND REPAINT	-	-	
HARDWARE	LOCK	LOCK	-	

GLAZING	EXISTING SINGLE GLAZED	EXISTING SINGLE GLAZED	SINGLE GLAZED FIXED PANEL
HINGES	•	-	-
NOTES:		-	•

or alterations to the building.

Builder / Contractors to verify all dimensions on site prior to commencing any works.

Builder / contractors to notify the Architect of discrepancies.

RL's indicated are Finished Level's (FL's) at the Australian Height Datum (AHD).

Plan dimensions are to be taken horizontally. Elevation dimensions to be taken vertically.

For dimensional setout of walls, columns etc, refer to Dimensional setout plans.

Do not scale drawings, use written dimensions only.

This drawing is to be read in conjunction with schedules and specifications.

This project is listed on the Victorian Heritage Register (VHR). Any works undertaken must comply with relevant heritage regulations and guidelines.

Approval from Heritage Victoria is required before commencing any modifications

ACCESSORIES

REV DESCRIPTION

Heritage Victoria Original Issue

DATE ISSUE **ISS**

ISSUED FOR HV APPLICATION

That howan

ATION
St Michaels Uniting Church
122-136 Collins Street, Melbourne

DRAWING TITLE

Proposed Window Schedule

1:50 @ A3 1:25 @ A1

A3 A1 SK-755

